

**SIGNS OF INTOXICATION*****Inhibitions Become Relaxed***

- (1) Overly friendly
- (2) Loud
- (3) Changing volume of speech
- (4) Drinking alone
- (5) Annoying others
- (6) Using foul language
- (7) Drinking more or faster than usual

***Judgment is Impaired***

- (1) Complaints about strength of drink
- (2) Changing consumption rate
- (3) Ordering doubles
- (4) Argumentative (e.g., low-key altercations, confrontations, or heated arguments)
- (5) Careless with money
- (6) Buying rounds for strangers
- (7) Irrational statements
- (8) Belligerent
- (9) Lighting more than one cigarette
- (10) Loss of train of thought

***Reactions are Affected***

- (1) Slurred speech
- (2) Slow and deliberate movement
- (3) Decreased alertness
- (4) Quick, slow, or fluctuating pace of speech

***Loss of Coordination (muscle control)***

- (1) Fumbling with money
- (2) Spilling drink
- (3) Cannot find mouth with drink
- (4) Unable to sit straight on chair or barstool
- (5) Swaying, drowsy
- (6) Stumbling
- (7) Bumps into things
- (8) Falling
- (9) Unable to light cigarette

***Physical Appearance***

- (1) Red, watery eyes
- (2) Disheveled clothing
- (3) Sweating
- (4) Smell of an alcoholic beverage on person
- (5) Droopy eyelids
- (6) Lack of eye focus
- (7) Flushed face